

OPERA Checkout Details Export
Data Definition

HEADER

FILE_TYPE	FILE_GROUP_ID	FILE_TYPE_DESC	SOURCE_VIEW_CODE	FILE_NAME	FILE_EXTENSION	WHERE_CLAUSE	ZIP_FILE_NAME
EXP_CHKOUT_FOLIO	MISC	Checkout Details Export	EXP_CHKOUT_RESERVATIONS	'EFO' SUBSTR(EXP_CREATE_DATA.GET_HOTEL_CODE,1,5) TO_CHAR(EXP_CREATE_DATA2.GET_CONSIDERED_DATE	'EFO'	export_id = exp_create_data.get_last_report_id	

DETAILS

COL_NAME	COL_LENGTH	COL_FORMAT	COL_TYPE	FORMULA	GEN_DATA_TYPE
SUPER_FIELD_ID	4		FORMULA	DECODE(RECORD_TYPE,1,'001',NULL)	D
PROPERTY_CODE	10		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(property_code,''),10),NULL)	D
ROOM_TYPE	4		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(ROOM_TYPE,''),4),NULL)	D
ROOM	6		FORMULA	DECODE(RECORD_TYPE,1,LPAD(NVL(ROOM,''),6,'0'),NULL)	D
ARRIVAL	8		FORMULA	DECODE(RECORD_TYPE,1,TO_CHAR(ARRIVAL_DATE,'YYYYMMDD'),NULL)	D
NUM_NTS	3		FORMULA	DECODE(RECORD_TYPE,1,TO_CHAR(ROOM_NIGHTS_TOTAL,'FM000'),NULL)	D
DEPARTURE	8		FORMULA	DECODE(RECORD_TYPE,1,TO_CHAR(DEPARTURE_DATE,'YYYYMMDD'),NULL)	D
ADULTS	2		FORMULA	DECODE(RECORD_TYPE,1,TO_CHAR(ADULTS,'FM00'),NULL)	D
CHILDREN	2		FORMULA	DECODE(RECORD_TYPE,1,TO_CHAR(CHILDREN,'FM00'),NULL)	D
GUEST_FIRST_NAME	40		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(GUEST_FIRST_NAME,''),40),NULL)	D
GUEST_LAST_NAME	40		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(GUEST_LAST_NAME,''),40),NULL)	D
ADDRESS1	30		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(GUEST_ADDRESS_1,''),30),NULL)	D
GUEST_ADDRESS_2	30		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(GUEST_ADDRESS_2,''),30),NULL)	D
GUEST_ADDRESS_3	30		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(GUEST_ADDRESS_3,''),30),NULL)	D
CITY	30		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(GUEST_CITY,''),30),NULL)	D
STATE	2		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(GUEST_STATE_CODE,''),2),NULL)	D
POSTAL_CODE	9		FORMULA	DECODE(RECORD_TYPE,1,RPAD(REPLACE(NVL(GUEST_POSTAL_CODE,'',''),',''),9),NULL)	D
COUNTRY	2		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(GET_ISO_CODE(GUEST_COUNTRY_CODE),''),2),NULL)	D
TELEPHONE	15		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(GUEST_TELEPHONE,''),15),NULL)	D
AIRLINE_MEMBERTYPE	3		FORMULA	DECODE(RECORD_TYPE,1,DECODE(LOYALTY_MEMBER_TYPE,'PC','HPC',RPAD(NVL(EXP_CREATE_DATA.GET_CRS_CODE('HOLIDEX','MEMBERSHIP_TYPE',AIRLINE_MEMBER_TYPE),''),3),NULL)	D
AIRLINE_MEMBER_NO	16		FORMULA	DECODE(RECORD_TYPE,1,DECODE(LOYALTY_MEMBER_TYPE,'PC',RPAD(NVL(LOYALTY_MEMBER_NO,''),16),RPAD(NVL(AIRLINE_MEMBER_NO,''),16)),NULL)	D
SCC_CODE	2		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(SCC_MEMBERSHIP_LEVEL,''),2),NULL)	D
SCC_NUM	12		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(SCC_MEMBERSHIP_NO,''),12),NULL)	D
HDX_CONF	8		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(CRS_CONFIRMATION_NO,''),8),NULL)	D
ACCOM_SEQ_NUM	4		FORMULA	DECODE(RECORD_TYPE,1,TO_CHAR(NVL(EXP_CREATE_DATA.GET_ACC_SEG(RESV_NAME_ID,DEPARTURE_DATE),0),'FM0000'),NULL)	D
FROM_MNEMONIC	5		FORMULA	DECODE(RECORD_TYPE,1,RPAD(DECODE(UDFC31,NULL,NVL(PROPERTY_CODE,''),UDFC31),5),NULL)	D

OPERA Checkout Details Export
Data Definition

BOOK_SOURCE	1		FORMULA	DECODE(RECORD_TYPE,1,RPAD(DECODE(UDFC32,NULL,'I',UDFC32),1),NULL)	D
BOOK_DATE	8		FORMULA	DECODE(RECORD_TYPE,1,TO_CHAR(INSERT_DATE,'YYYYMMDD'),NULL)	D
MKTSEG	1		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(EXP_CREATE_DATA.GET_CRS_CODE('HOLIDEX','MARKET_CODE',MARKET_CODE),''),1),NULL)	D
TA_NUM	9		FORMULA	DECODE(RECORD_TYPE,1,LPAD(nvl(AGENT_IATA_NO,'0'),9,'0'),NULL)	D
FOLIO_NUM	29		FORMULA	DECODE(RECORD_TYPE,1,TO_CHAR(NVL(RESERVATION_FOLIO_NUMBER,0),'FM00000000000000000000000000000000'),NULL)	D
PMS_CONF	10		FORMULA	DECODE(RECORD_TYPE,1,LPAD(NVL(CONFIRMATION_NO,'0'),10,'0'),NULL)	D
CURRENCY_CODE	3		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(PROPERTY_CURRENCY_CODE,''),3),NULL)	D
DECIMALS	1		FORMULA	DECODE(RECORD_TYPE,1,TO_CHAR(PROPERTY_CURRENCY_DECIMALS,'FM0'),NULL)	D
ROOM_RATE	7		FORMULA	DECODE(RECORD_TYPE,1,TO_CHAR(SHARE_AMOUNT*(POWER(10,PROPERTY_CURRENCY_DECIMALS)),'FM0000000'),NULL)	D
CORP_NUM	9		FORMULA	DECODE(RECORD_TYPE,1,LPAD(NVL(COMPANY_CORP_ID,'0'),9,'0'),NULL)	D
RATE_CODE	8		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(RATE_CODE,''),8),NULL)	D
ORIG_CRS_RATE_CODE	8		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(EXP_CREATE_DATA.GET_CRS_CODE('HOLIDEX','RATE_CODE',UDFC28),''),8),NULL)	D
CRS_RATE_CODE_AT_CO	8		FORMULA	DECODE(RECORD_TYPE,1,RPAD(NVL(EXP_CREATE_DATA.GET_CRS_CODE('HOLIDEX','RATE_CODE',RATE_CODE),''),8),NULL)	D
GROUP_CODE	3		FORMULA	DECODE(RECORD_TYPE,1,LPAD(NVL(BLOCK_CODE,'0'),3,'0'),NULL)	D
PAY_TYPE	2		FORMULA	DECODE(RECORD_TYPE,1,DECODE(PAYMENT_CREDIT_CARD_NO,NULL,RPAD(NVL(PAYMENT_TYPE,NVL(PAYMENT_CODE,'')),2),RPAD(NVL(EXP_CREATE_DATA.GET_CRS_CODE('HOLIDEX','RATE_CODE',RATE_CODE),''),8),NULL)	D
PAY_REF	40		FORMULA	DECODE(RECORD_TYPE,1,DECODE(PAYMENT_CREDIT_CARD_NO,NULL,RPAD(NVL(DIRECT_BILL_NAME,''),40),RPAD(TRIM(PAYMENT_CREDIT_CARD_NO) TO_CHAR(PAYMENT_CREDIT_CARD_EXPY,'MMYY'),40)),NULL)	D
HEADER_COUNT	5		FORMULA	DECODE(RECORD_TYPE,1,TO_CHAR(RESERVATION_COUNTER,'FM00000'),NULL)	D
EOF	2		FORMULA	DECODE(RECORD_TYPE,1,CHR(13) CHR(10),NULL)	D
SUPER_FIELD_ID_2	4		FORMULA	DECODE(RECORD_TYPE,2,'002',NULL)	D
REV_TYPE	3		FORMULA	DECODE(RECORD_TYPE,2,RPAD(NVL(EXPORT_BUCKET,''),3),NULL)	D
REFERENCE	4		FORMULA	DECODE(RECORD_TYPE,2,LPAD(SUBSTR(TO_CHAR(NVL(TRX_NUMBER,0)),LENGTH(TO_CHAR(NVL(TRX_NUMBER,0))))-1,4),NULL)	D
TRAN_DATE	8		FORMULA	DECODE(RECORD_TYPE,2,TO_CHAR(TRX_DATE,'YYYYMMDD'),NULL)	D
TRAN_CODE	8		FORMULA	DECODE(RECORD_TYPE,2,RPAD(NVL(TRX_CODE,''),8),NULL)	D
ITEM_ID	4		FORMULA	DECODE(RECORD_TYPE,2,'0001',NULL)	D
DESCRIPTION	40		FORMULA	DECODE(RECORD_TYPE,2,RPAD(decode(direct_bill_name,null),decode(payment_credit_card_no,null),NVL(TRX_DESCRIPTION,'')),payment_credit_card_no to_char(payment_credit_card_expy,'MMYY'),NVL(direct_bill_name) TRX_DESCRIPTION,''),40),NULL)	D

OPERA Checkout Details Export
Data Definition

AMOUNT	12		FORMULA	DECODE(RECORD_TYPE,2,DECODE(SIGN(TRX_AMOUNT),-1,TO_CHAR(TRX_AMOUNT*(POWER(10,NVL(PROPERTY_CURRENCY_DECIMALS,0))),'S0000000000'),TO_CHAR(TRX_AMOUNT*(POWER(10,NVL(PROPERTY_CURRENCY_DECIMALS,0))),'FM0000000000'),NULL)	D
TRAN_COUNTER	5		FORMULA	DECODE(RECORD_TYPE,2,TO_CHAR(TRX_COUNTER,'FM00000'))	D
EOF	2		FORMULA	DECODE(RECORD_TYPE,2,CHR(13) CHR(10),NULL)	D
SUPER_FIELD_ID_03	4		FORMULA	DECODE(RECORD_TYPE,3,'003',NULL)	D
ROOM	6		FORMULA	DECODE(RECORD_TYPE,3,LPAD(NVL(ROOM,''),6,'0'),NULL)	D
CK_IN_TIME	8		FORMULA	DECODE(RECORD_TYPE,3,TO_CHAR(ARRIVAL_DATE,'HH24:MI:SS'))	D
FOLIO_NUM	29		FORMULA	DECODE(RECORD_TYPE,3,TO_CHAR(NVL(RESERVATION_FOLIO_NUMBER,0),'FM000000000000000000000000000000'),NULL)	D
TRAN_COUNTER_TOTAL	5		FORMULA	DECODE(RECORD_TYPE,3,TO_CHAR(TRX_COUNTER,'FM00000'),NULL)	D
E_FOLIO_VER+EOR	8		FORMULA	DECODE(RECORD_TYPE,3,'010005' CHR(13) CHR(10),NULL)	D
TRX_PRINTED_YN	1		FORMULA	(CASE WHEN RECORD_TYPE = 2 AND TRX_PRINTED_YN = 'Y' THEN '0' WHEN RECORD_TYPE = 2 THEN '1' ELSE NULL END)	D
SUPER_FIELD_ID_04	4		FORMULA	DECODE(RECORD_TYPE,4,'004',NULL)	D
HOTELCODE	10		FORMULA	DECODE(RECORD_TYPE,4,RPAD(NVL(PROPERTY_CODE,''),10,''),NULL)	D
ARRIVAL_DATE	8		FORMULA	DECODE(RECORD_TYPE,4,TO_CHAR(ARRIVAL_DATE,'YYYYMMDD'),NULL)	D
NO_OF_ROOMS	2		FORMULA	DECODE(RECORD_TYPE,4,TO_CHAR(NVL(NO_OF_ROOMS,0),'FM00'),NULL)	D
NO_OF_NIGHTS	3		FORMULA	DECODE(RECORD_TYPE,4,TO_CHAR(NVL(ROOM_NIGHTS_TOTAL,0),'FM000'),NULL)	D
RATE_CATEGORY	10		FORMULA	DECODE(RECORD_TYPE,4,RPAD(NVL(EXP_CREATE_DATA.GET_CRS_CODE('HOLIDEX','RATE_CODE','RATE_CODE'),''),10,''),NULL)	D
REGRET_CODE	5		FORMULA	DECODE(RECORD_TYPE,4,RPAD(TRX_CODE,5,''),NULL)	D
MARKET_CODE	1		FORMULA	DECODE(RECORD_TYPE,4,RPAD(NVL(MARKET_CODE,'0'),1),NULL)	D
SEQ_NUM	20		FORMULA	DECODE(RECORD_TYPE,4,RPAD(TO_CHAR(PMS_P.BUSINESS_DATE,'YYYYMMDD') TO_CHAR(MOD(nvl(RESERVATION_COUNTER,0),9998),'FM0000'),20),NULL)	D
TRAN_COUNTER_TOTAL	5		FORMULA	DECODE(RECORD_TYPE,4,TO_CHAR(NVL(RESERVATION_COUNTER,0),'FM00000'),NULL)	D
BLANK	2		FORMULA	DECODE(RECORD_TYPE,4,' ',NULL)	D
COUNTRY	2		FORMULA	DECODE(RECORD_TYPE,5,RPAD(NVL(GET_ISO_CODE(GUEST_COUNTRY_CODE),''),2),NULL)	D
TELEPHONE	15		FORMULA	DECODE(RECORD_TYPE,5,RPAD(NVL(GUEST_TELEPHONE,''),15),NULL)	D
AIRLINE_MEMBER_TYPE	3		FORMULA	DECODE(RECORD_TYPE,5,DECODE(LOYALTY_MEMBER_TYPE,'PC','HPC',RPAD(NVL(EXP_CREATE_DATA.GET_CRS_CODE('HOLIDEX','MEMBERSHIP_TYPE','AIRLINE_MEMBER_TYPE'),''),3),NULL)	D
AIRLINE_MEMBER_NO	16		FORMULA	DECODE(RECORD_TYPE,5,DECODE(LOYALTY_MEMBER_TYPE,'PC',RPAD(NVL(LOYALTY_MEMBER_NO,''),16),RPAD(NVL(AIRLINE_MEMBER_NO,''),16),NULL)	D
SCC_CODE	2		FORMULA	DECODE(RECORD_TYPE,5,RPAD(NVL(SCC_MEMBERSHIP_LEVEL,''),2),NULL)	D
SCC_NUM	12		FORMULA	DECODE(RECORD_TYPE,5,RPAD(NVL(SCC_MEMBERSHIP_NO,''),12),NULL)	D
HDX_CONF	8		FORMULA	DECODE(RECORD_TYPE,5,RPAD(nvl(CRS_CONFIRMATION_NO,''),8),NULL)	D

OPERA Checkout Details Export
Data Definition

ACCOM_SEQ_NUM	4		FORMULA	DECODE(RECORD_TYPE,5,TO_CHAR(NVL(EXP_CREATE_DATA.GET_ACC_SEG(RESV_NAME_ID,DEPARTURE_DATE),0),'FM0000'),NULL)	D
FROM_MNEMONIC	5		FORMULA	DECODE(RECORD_TYPE,5,RPAD(DECODE(UDFC31,NULL,nvl(PROPERTY_CODE,''),UDFC31),5),NULL)	D
BOOK_SOURCE	1		FORMULA	DECODE(RECORD_TYPE,5,RPAD(DECODE(UDFC32,NULL,'I',UDFC32),1),NULL)	D
BOOK_DATE	8		FORMULA	DECODE(RECORD_TYPE,5,TO_CHAR(INSERT_DATE,'YYYYMMDD'),NULL)	D
MKTSEGE	1		FORMULA	DECODE(RECORD_TYPE,5,RPAD(NVL(EXP_CREATE_DATA.GET_CRS_CODE('HOLIDEX','MARKET_CODE',MARKET_CODE),''),1),NULL)	D
TA_NUM	9		FORMULA	DECODE(RECORD_TYPE,5,LPAD(nvl(AGENT_IATA_NO,'0'),9,'0'),NULL)	D
FOLIO_NUM	29		FORMULA	DECODE(RECORD_TYPE,5,TO_CHAR(NVL(RESERVATION_FOLIO_NUMBER,0),'FM00000000000000000000000000000000'),NULL)	D
PMS_CONF	10		FORMULA	DECODE(RECORD_TYPE,5,LPAD(NVL(CONFIRMATION_NO,'0'),10,'0'),NULL)	D
CURRENCY_CODE	3		FORMULA	DECODE(RECORD_TYPE,5,RPAD(NVL(PROPERTY_CURRENCY_CODE,''),3),NULL)	D
DECIMALS	1		FORMULA	DECODE(RECORD_TYPE,5,TO_CHAR(PROPERTY_CURRENCY_DECIMALS,'FM0'),NULL)	D
ROOM_RATE	7		FORMULA	DECODE(RECORD_TYPE,5,TO_CHAR(SHARE_AMOUNT*(POWER(10,PROPERTY_CURRENCY_DECIMALS)),'FM0000000'),NULL)	D
CORP_NUM	9		FORMULA	DECODE(RECORD_TYPE,5,LPAD(NVL(COMPANY_CORP_ID,'0'),9,'0'),NULL)	D
RATE_CODE	8		FORMULA	DECODE(RECORD_TYPE,5,RPAD(NVL(RATE_CODE,''),8),NULL)	D
ORIG_CRS_RATE_CODE	8		FORMULA	DECODE(RECORD_TYPE,5,RPAD(NVL(EXP_CREATE_DATA.GET_CRS_CODE('HOLIDEX','RATE_CODE',UDFC28),''),8),NULL)	D
GROUP_CODE	3		FORMULA	DECODE(RECORD_TYPE,5,LPAD(NVL(BLOCK_CODE,'0'),3,'0'),NULL)	D
PAY_TYPE	2		FORMULA	DECODE(RECORD_TYPE,5,DECODE(CREDIT_CARD_NO,NULL,RPAD(NVL(PAYMENT_CODE,''),2),RPAD(NVL(EXP_CREATE_DATA.GET_CRS_CODE('HOLIDEX','PAYMENT_METHOD',PAYMENT_CODE),''),2)),NULL)	D
PAY_REF	40		FORMULA	DECODE(RECORD_TYPE,5,DECODE(CREDIT_CARD_NO,NULL,RPAD(NVL(DIRECT_BILL_NAME,''),40),RPAD(TRIM(CREDIT_CARD_NO) TO_CHAR(CREDIT_CARD_EXPIRATION,'MM/YY'),40)),NULL)	D
HEADER_COUNT	5		FORMULA	DECODE(RECORD_TYPE,5,TO_CHAR(RESERVATION_COUNTER,'FM00000'),NULL)	D
EOF	2		FORMULA	DECODE(RECORD_TYPE,5,CHR(13) CHR(10),NULL)	D
SUPER_FIELD_ID	4		FORMULA	DECODE(RECORD_TYPE,5,'005',NULL)	D
PROPERTY_CODE	10		FORMULA	DECODE(RECORD_TYPE,5,RPAD(nvl(property_code,''),10),NULL)	D
ROOM_TYPE	4		FORMULA	DECODE(RECORD_TYPE,5,RPAD(nvl(ROOM_TYPE,''),4),NULL)	D
ROOM	6		FORMULA	DECODE(RECORD_TYPE,5,LPAD(NVL(ROOM,''),6,'0'),NULL)	D
ARRIVAL	8		FORMULA	DECODE(RECORD_TYPE,5,TO_CHAR(ARRIVAL_DATE,'YYYYMMDD'),NULL)	D
NUM_NTS	3		FORMULA	DECODE(RECORD_TYPE,5,TO_CHAR(ROOM_NIGHTS_TOTAL,'FM000'),NULL)	D
DEPARTURE	8		FORMULA	DECODE(RECORD_TYPE,5,TO_CHAR(DEPARTURE_DATE,'YYYYMMDD'),NULL)	D
ADULTS	2		FORMULA	DECODE(RECORD_TYPE,5,TO_CHAR(ADULTS,'FM00'),NULL)	D
CHILDREN	2		FORMULA	DECODE(RECORD_TYPE,5,TO_CHAR(CHILDREN,'FM00'),NULL)	D
GUEST_FIRST_NAME	40		FORMULA	DECODE(RECORD_TYPE,5,RPAD(NVL(GUEST_FIRST_NAME,''),40),NULL)	D

OPERA Checkout Details Export
Data Definition

GUEST_LAST_NAME	40		FORMULA	DECODE(RECORD_TYPE,5,RPAD(NVL(GUEST_LAST_NAME,''),40),NULL)	D
ADDRESS1	30		FORMULA	DECODE(RECORD_TYPE,5,RPAD(NVL(GUEST_ADDRESS_1,''),30),NULL)	D
GUEST_ADDRESS_2	30		FORMULA	DECODE(RECORD_TYPE,5,RPAD(NVL(GUEST_ADDRESS_2,''),30),NULL)	D
GUEST_ADDRESS_3	30		FORMULA	DECODE(RECORD_TYPE,5,RPAD(NVL(GUEST_ADDRESS_3,''),30),NULL)	D
CITY	30		FORMULA	DECODE(RECORD_TYPE,5,RPAD(NVL(GUEST_CITY,''),30),NULL)	D
STATE	2		FORMULA	DECODE(RECORD_TYPE,5,RPAD(NVL(GUEST_STATE_CODE,''),2),NULL)	D
POSTAL_CODE	9		FORMULA	DECODE(RECORD_TYPE,5,RPAD(REPLACE(NVL(GUEST_POSTAL_CODE,''),',',''),9),NULL)	D
ROOM_TYPE	4		FORMULA	DECODE(RECORD_TYPE,4,RPAD(NVL(ROOM_TYPE,''),4),NULL)	D
BOOK_DATE	8		FORMULA	DECODE(RECORD_TYPE,4,RPAD(TO_CHAR(CONSIDERED_DATE,'YYYYMMDD'),8),NULL)	D
CURR_CODE	3		FORMULA	DECODE(RECORD_TYPE,4,RPAD(NVL(PROPERTY_CURRENCY_CODE,''),3),NULL)	D
CODE_DESC	15		FORMULA	DECODE(RECORD_TYPE,4,RPAD(NVL(TRX_DESCRIPTION,''),15),NULL)	D
CURR_DECIMALS	2		FORMULA	DECODE(RECORD_TYPE,4,TO_CHAR(PROPERTY_CURRENCY_DECIMALS,'FM00'),NULL)	D
CRS_SELL	3		FORMULA	DECODE(RECORD_TYPE,4,RPAD(NVL(DAY_TYPE,''),3),NULL)	D
GRP_CODE	3		FORMULA	DECODE(RECORD_TYPE,4,RPAD(' ',3),NULL)	D
CONFIRM	8		FORMULA	DECODE(RECORD_TYPE,4,RPAD(' ',8),NULL)	D
EOF	2		FORMULA	DECODE(RECORD_TYPE,4,CHR(13) CHR(10),NULL)	D
ROOM_RATE	7		FORMULA	DECODE(RECORD_TYPE,4,TO_CHAR(NVL(SHARE_AMOUNT,0)*(POWER(10,PROPERTY_CURRENCY_DECIMALS)),'FM000000'),NULL)	D
FOLIO_VIEW	1		FORMULA	DECODE(RECORD_TYPE,1,RPAD(TO_CHAR(NVL(FOLIO_VIEW,0)),1),NULL)	D
FOLIO_VIEW	1		FORMULA	DECODE(RECORD_TYPE,3,RPAD(TO_CHAR(NVL(FOLIO_VIEW,0)),1),NULL)	D
FOLIO_VIEW	1		FORMULA	DECODE(RECORD_TYPE,5,RPAD(TO_CHAR(NVL(FOLIO_VIEW,0)),1),NULL)	D

FOOTER

COL_NAME	COL_LENGTH	COL_FORMAT	COL_TYPE	FORMULA	GEN_DATA_TYPE
SUPER_FIELD_ID	4		FORMULA	'EOF:'	F
PROPERTY_CODE	10		FORMULA	EXP_CREATE_DATA.GET_HOTEL_CODE	F
PMS_TYPE	3		FORMULA	'OPR'	F
REV_AMOUNT_1	12		FORMULA	'1' DECODE(SIGN(EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(1)),-1,'1','0') TO_CHAR(ABS(EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(1)*(POWER(10,exp_create_data2.get_currency_decimals)),'FM000000000'))	F
REV_AMOUNT_2	12		FORMULA	'2' DECODE(SIGN(EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(2)),-1,'1','0') TO_CHAR(ABS(EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(2)*(POWER(10,exp_create_data2.get_currency_decimals)),'FM000000000'))	F
REV_AMOUNT_3	12		FORMULA	'3' DECODE(SIGN(EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(3)),-1,'1','0') TO_CHAR(ABS(EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(3)*(POWER(10,exp_create_data2.get_currency_decimals)),'FM000000000'))	F

OPERA Checkout Details Export
Data Definition

ROOMS_AVAIL	12		FORMULA	'4' '0' TO_CHAR(nvl(EXP_CREATE_DATA2.GET_EFOLIO_ROOMS,0),'FM000000000')	F
ROOMS_SINGLE	12		FORMULA	'5' '0' TO_CHAR(nvl(EXP_CREATE_DATA2.GET_EFOLIO_SOCC,0),'FM000000000')	F
ROOMS_MULTI	12		FORMULA	'6' '0' TO_CHAR(nvl(EXP_CREATE_DATA2.GET_EFOLIO_MOCC,0),'FM000000000')	F
REV_AMOUNT_4	12		FORMULA	'7' DECODE(SIGN(EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(4)),-1,'1','0') TO_CHAR(ABS(EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(4))*(POWER(10,exp_create_data2.get_currency_decimals)),'FM000000000')	F
TOTAL_REV	12		FORMULA	'9' DECODE(SIGN(EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(1)+EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(2)+EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(3)+EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(4)+nvl(EXP_CREATE_DATA2.GET_EFOLIO_ROOMS(),0)+nvl(EXP_CREATE_DATA2.GET_EFOLIO_MOCC,0)+nvl(EXP_CREATE_DATA2.GET_EFOLIO_SOCC,0)),-1,'1','0') TO_CHAR(ABS(EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(1)+EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(2)+EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(3)+EXP_CREATE_DATA2.GET_REVENUE_BUCKET_NET(4)+nvl(EXP_CREATE_DATA2.GET_EFOLIO_ROOMS(),0)+nvl(EXP_CREATE_DATA2.GET_EFOLIO_MOCC,0)+nvl(EXP_CREATE_DATA2.GET_EFOLIO_SOCC,0))*(POWER(10,exp_create_data2.get_currency_decimals)),'FM000000000')	F
SEQ_NUM	20		FORMULA	TO_CHAR(PMS_P.BUSINESS_DATE,'YYYYMMDD') TO_CHAR(MOD(nvl(BATCHNUMBER,0),9998),'FM0000')	F
E_FOLIO_VER	6		FORMULA	'010005'	F
HEADER_CTR	5		FORMULA	TO_CHAR(NVL(EXP_CREATE_DATA2.GET_RESV_CTR,0)+1,'FM00000')	F
EOF	2		FORMULA	CHR(13) CHR(10)	F
EOF	1		FORMULA	CHR(26)	F